

## Product overview



Increase your efficiency  
in gluing and sealing



## Technocryl Universal

### UNIVERSAL PAINTABLE

#### Product Description

Technocryl Universal is a high quality acrylic dispersion sealant and has been developed especially for sealing connection joints in wooden and metal window frames and concrete and brickwork. Joints between stairs and walls, between

concrete and ceiling elements, between wall and ceiling, skirting boards and windowsills. Technocryl Universal is paintable with waterbased- and synthetic paints. Perfect adhesion with the use of a primer, even on damp substrates.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 18 months after production date, stored in a dry place.

#### Packaging

12 Cartridge 310 ml

#### Color

white, brown, black



## Technoseal Building & Glazing

### HYBRID PAINTABLE

#### Product Description

Technoseal Building & Glazing is a high quality, professional and universal paintable sealant based on hybrid technology and has been especially developed as universal glazing sealant complying with international glazing standards

for laminated, single, insulation, burglar-proof and self-cleaning glass. Sealing expansion and connection joints such as perimeter joints around window and door frames. Also excellent paintable with water based and synthetic paints, free of isocyanates, solvents, silicone and good resistant to UV, weather and water. Adheres perfectly without primer on most, even damp, surfaces.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 12 months after production date, stored in a dry place.

#### Packaging

12 Cartridge 290 ml

#### Color

white, grey, brown, black



## Technosil Neutral & Sanitary

### CONSTRUCTION SILICONE

#### Product Description

Technosil Neutral & Sanitary is a versatile neutral silicone sealant for sanitary, building, glazing and façade joints and is specially developed for durable elastic sealing of expansion joints in concrete and brickwork, con-

nections joints, curtain wall constructions, glazingsystems, kitchens, bathrooms, showers and industrial applications. Technosil Neutral & Sanitary is excellent resistance to UV, water and weather and non corrosive to metals.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 12 months after production date, stored in a dry place.

#### Packaging

12 Cartridge 310 ml

#### Color

transparent, white, grey, brown, black



## Technofix All Purpose

### UNIVERSAL BONDING

#### Product Description

Technofix All Purpose is a high quality, professional and universal sealant and adhesive based on hybrid technology and is specially developed as a universal sealant for all connection joints, cracks, roughness in building and industry

constructions on most substrates. Universal construction adhesive for the metal, synthetic, concrete, wood and carpenter industry such as: car, caravan, camper, trailer, marine, machinery, ventilation, steel, façade, window-frame, furniture, interior, stand, unit, sandwich panels, prefab, HVAC, road and bridge construction etc. Sealing and bonding in cold storage and in food area. Technofix All Purpose is good resistant to UV, weather and water and is Sanitary formulated. Free of isocyanates, solvents and silicones. No shrinkage and bubble free.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 12 months after production date, stored in a dry place.

#### Packaging

12 Cartridge 290 ml

#### Color

white, grey, brown, black



## Technofix Clear

### PAINTABLE GLAZING FACADE

#### Product Description

Technofix Clear is a transparent, high quality adhesive based sealant on hybrid technology and is especially developed as a universal construction adhesive for interior use. This professional sealant is durable and

permanent elastic, has universal bonding for interior use, is fast curing, wet in wet applicable, free of isocyanates, solvents and silicones, adheres perfectly without primer on most, even damp, surfaces and is sandable and grindable after fully cured. Technofix Clear is also non corrosive to metals and absorbs acoustical and mechanical vibrations.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 12 months after production date, stored in a dry place.

#### Packaging

12 Cartridge 290 ml

#### Color

transparent



## Technotack Rapid

### HYBRID ADHESIVE

#### Product Description

Technotack Rapid is a high quality and professional adhesive with extreme high grab properties based on hybrid technology and has been especially developed as a universal adhesive for bonding many building materials

such as: stone, concrete, mirrors, glass, plasterboard, PU, uPVC, hard plastics, enamel, ceramic, copper, lead, zinc, aluminium, metals and stainless steel. Free of isocyanates, phthalates, solvents and silicones. Neutral curing, almost odourless.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 12 months after production date, stored in a dry place.

#### Packaging

12 Cartridge 290 ml

#### Color

white



## Technofoam PUR Low Expansion

### UNIVERSAL USE

#### Product Description

Techofoam PUR Low Expansion is an one-component insulation and construction polyurethane foam developed to make a seal between construction parts. This product can be used in joints between separation walls, ceilings

and floors. Perimeter joints around window and doorframes. Filling cavities carrying pipes, cables or transits in walls and ceilings and in general has an excellent adhesion on concrete, brick, stone, plaster, wood, metal and many plastics like polystyrene foam, rigid PU foam and uPVC.

#### Shelf Life

In unopened original packaging between +5 °C and +25 °C, shelf life till 18 months after production date, stored in a dry place. Store the canisters in an upright position.

#### Packaging

12 cans 750 ml

#### Color

yellow

# Sealant guns

## MK5 Skeleton manual sealant gun

**Description:**

An open, stable and durable manual gun with rotating barrel for 310 ml cartridges. Transfer via rod with anti-blocking.



## HK-14 manual sealant gun

**Description:**

A half open, stable manual gun equipped with mechanical transfer for 310 ml cartridges. Perfect distribution and balance of weight thanks to the clever, centrally located handle system. This system also provides automatic anti-blocking in the handle.



## Pneumatic caulking gun T16 UX

**Description:**

A professional compressed air gun for applying sealant and adhesive and adhesive cartridges of up to 310 ml. Open model allowing quick exchange of cartridges. Continuous, variable pressure control on the handle.



## Pneumatic caulking gun MK5 PK310

**Description:**

A lightweight, closed professional compressed air gun for sealants and adhesives in sausage packs up to 310 ml. Pressure control on handle.



# PU-Gun

## PU-pistol NBS-M gold

**Description:**

The premium PUR gun! Components are replaceable. The gun is suitable for Technofoam PUR Low Expansion.



## PU-Gun for low volume

**Description:**

A standard PUR gun with an ergonomic handle. The adapter is nickel-coated and has a Teflon ball to prevent the PUR foam from sticking. The adjustment screw at the back locks the dosing barrel and/or controls the flow. Components are not replaceable. This gun is suitable for Technofoam PUR Low Expansion.

